


Figure 1c



Originating Add	Destination Add	Originating Destination Message Add Add Reference	Service Class	Priority Indicator	Service Category	Alert	Language Pe	riodicity	Validity	Validity Absolute	Zone	Security	Privacy Indicator	Feature Private
"Display Execution								and the state of t	de receive de la constante de					
	**			ç		Bean	Bearer DataN-Bytes	lytes	,*		• .			

Figure 2

Message Name	ASP	iPPG	Rx	Description
Originating Add	X	X	X	Service Operator Code (SOC) or address
Destination Add	X	Ī	X	Broadcast, Multicast or Unicast
Message Ref.	X	X		Random #0-16 bits long?
Service Class	X	X		Basic, Preferred, Premium, etc.
Priority Indicator	X	X	X?	Normal, Urgent, Emergency
Service Category		X	X	Unknown/unspecified, Administrative,
5,	1	1		Maintenance, Talent Announcement,
	1	:		Advertisement, News (local, regional, national,
	i			international), Sports, Weather, Traffic,
				Emergency, Alert, Stocks (local, regional,
		!		national, international), Entertainment,
		!		Restaurants, Lodging, Advertisements,
	1			Medical, Health, Hospitals, Multimedia,
	1			Audio, Logo, Text, etc.
Alert	1		X	With Info Vibrate, Tone, Remind, Cadence,
		1		etc.
Language ID	X	1	X	Language filtration
Periodicity	X			Repetition rate
Validity	X	X		Indefinite, Power Down, Display only, etc.
Validity Absolute	X	X		Validity Period (message valid during these times)
Validity Period	X	X		Message valid/not valid during these times
Message Time		X	X	Optional
Stamp Zone	X	X		Cells, Sectors, Entire, etc.
Bearer Data	X	X	X	Any desired Message Contents (max size?)
Contact #	- X	7.	X	For point of sale information. May be a
Contact #	A	ı	, A.	hyperlink.
Security		X	X	?
Privacy Indicator		X	X	Unrestricted, Restricted, Confidential, Secret
Feature Private	X		X	
Display Execution		X	X	Pre download with Deactivate On/Off with key/without key
TBD				To be determined

Figure 3

400




Figure 4




Figure 5

